

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|---|---|------------------|---------|---------------------|
| S1    | 8    | (@ad < "20020412"<br>@pd < "20040802")<br>and "370".clas. and (hex<br>\$3 adj decim\$4<br>hexidecim\$4 hexadecimal<br>\$4 hex base16 base\$1<br>adj "16") near2 byte\$2<br>with (conver\$5 decod\$4<br>de adj cod\$4)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/01/23<br>08:09 |
| S2    | 200  | (@ad < "20020412"<br>@pd < "20040802")<br>and "370".clas. and (hex<br>\$3 adj decim\$4<br>hexidecim\$4 hexadecimal<br>\$4 hex base16 base\$1<br>adj "16") with (conver<br>\$5 decod\$4 de adj cod<br>\$4 transl\$7)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/01/23<br>08:11 |
| S3    | 28   | (@ad < "20020412"<br>@pd < "20040802")<br>and "370".clas. and (hex<br>\$3 adj decim\$4<br>hexidecim\$4 hexadecimal<br>\$4 hex base16 base\$1<br>adj "16") with (conver<br>\$5 decod\$4 de adj cod<br>\$4 transl\$7) with (packet<br>\$2 cell\$2 datagram\$2<br>message\$2)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/01/23<br>08:13 |
| S4    | 14   | (@ad < "20020412"<br>@pd < "20040802")<br>and "370".clas. and (hex<br>\$3 adj decim\$4<br>hexidecim\$4 hexadecimal<br>\$4 hex base16 base\$1<br>adj "16") with (conver<br>\$5 decod\$4 de adj cod<br>\$4 transl\$7 chang\$4)<br>with (packet\$2 cell\$2<br>datagram\$2 message<br>\$2) with (binary nibble<br>\$2 bit\$1) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/01/23<br>08:16 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S7  | 6   | {@ad < "20020412"<br>@pd < "20040802")<br>and "370".clas. and (hex<br>\$3 adj decim\$4<br>hexidecim\$4 hexadecim<br>\$4 hex base16 base\$1<br>adj "16") near5 (de adj<br>cod\$4 decod\$4) with<br>(packet\$2 message\$2<br>cell\$2 datagram\$2)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:38 |
| S8  | 39  | {@ad < "20020412"<br>@pd < "20040802")<br>and (hex\$3 adj decim\$4<br>hexidecim\$4 hexadecim<br>\$4 hex base16 base\$1<br>adj "16") near5 (de adj<br>cod\$4 decod\$4) with<br>(packet\$2 message\$2<br>cell\$2 datagram\$2)                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:39 |
| S9  | 3   | {@ad < "20020412"<br>@pd < "20040802")<br>and (hex\$3 adj decim\$4<br>hexidecim\$4 hexadecim<br>\$4 hex base16 base\$1<br>adj "16") near5 (de adj<br>cod\$4 decod\$4) with<br>pdu\$1   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:48 |
| S12 | 224 | {@ad < "20020412"<br>@pd < "20040802")<br>and (hex\$3 adj decim\$4<br>hexidecim\$4 hexadecim<br>\$4 hex base16 base\$1<br>adj "16") with (conver<br>\$5 encod\$4 transl\$7<br>chang\$4) with (packet<br>\$2 cell\$2 datagram\$2<br>message\$2)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:50 |
| S13 | 113 | {@ad < "20020412"<br>@pd < "20040802")<br>and (hex\$3 adj decim\$4<br>hexidecim\$4 hexadecim<br>\$4 hex base16 base\$1<br>adj "16") near7 (conver<br>\$5 encod\$4 transl\$7<br>chang\$4) near7 (packet<br>\$2 cell\$2 datagram\$2<br>message\$2) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:51 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S14 | 38 | ((@ad < "20020412"<br>@pd < "20040802")<br>and (hex\$3 adj decim\$4<br>hexidecim\$4 hexadecimal<br>\$4 hex base16 base\$1<br>adj "16") near7 (conver<br>\$5 encod\$4 transl\$7<br>chang\$4) near7 (packet<br>\$2 cell\$2 datagram\$2<br>pdu\$1)) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:52 |
| S15 | 33 | ((@ad < "20020412"<br>@pd < "20020802")<br>and (hex\$3 adj decim\$4<br>hexidecim\$4 hexadecimal<br>\$4 hex base16 base\$1<br>adj "16") near7 (conver<br>\$5 encod\$4 transl\$7<br>chang\$4) near7 (packet<br>\$2 cell\$2 datagram\$2<br>pdu\$1)) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>08:54 |
| S17 | 0  | "6519635".pn. and<br>decomp\$7   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>09:05 |
| S18 | 1  | "6519635".pn. and<br>\$2compres\$7   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>09:06 |
| S19 | 20 | ((@ad < "20020412"<br>@pd < "20020802")<br>and byte\$1 near7<br>(conver\$5 encod\$4<br>decod\$4 transl\$7 chang<br>\$4) near7 binary near7<br>(packet\$2 cell\$2<br>datagram\$2 pdu\$1))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>09:07 |
| S20 | 6  | ((@ad < "20020412"<br>@pd < "20020802")<br>and byte\$1 near7<br>(conver\$5 decod\$4 de<br>adj cod\$4 transl\$7 chang<br>\$4) near7 binary near7<br>(packet\$2 cell\$2<br>datagram\$2 pdu\$1))  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>09:10 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S21 | 220 | ((@ad < "20020412"<br>@pd < "20020802")<br>and byte\$1 near7<br>(conver\$5 decod\$4 de<br>adj cod\$4 transl\$7 chang<br>\$4) near7 bit\$1 near7<br>(packet\$2 cell\$2<br>datagram\$2 pdu\$1) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>09:11 |
| S22 | 174 | ((@ad < "20020412"<br>@pd < "20020802")<br>and byte\$1 near7<br>(conver\$5 decod\$4 de<br>adj cod\$4 transl\$7)<br>near7 bit\$1 near7<br>(packet\$2 cell\$2<br>datagram\$2 pdu\$1)           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>09:11 |
| S23 | 2   | "20020141378".pn.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:06 |
| S24 | 1   | "20020141378".pn. and<br>egres\$4  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:06 |
| S25 | 1   | "6032197".pn. and "56"   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:25 |
| S26 | 1   | "6032197".pn. and<br>("56" "50" "60")  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:26 |
| S27 | 24  | ((@pd < "20020802")<br>and SNMP with over<br>with UDP  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:27 |
| S28 | 15  | ((@pd < "20020408")<br>and SNMP with over<br>with UDP  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:28 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S29 | 3  | {@pd < "20020408")<br>and udp adj header with<br>zero\$2   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:48 |
| S30 | 1  | {@pd < "20020408")<br>and udp adj header with<br>(ipv4 v4)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:49 |
| S31 | 1  | {@pd < "20020408")<br>and udp adj header\$2<br>with (ipv4 v4)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>10:49 |
| S32 | 1  | "6452930".pn. and<br>encod\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>11:00 |
| S33 | 90 | @pd < "20020802" and<br>(transmit\$5 transis\$5)<br>with (hex\$3 adj decim<br>\$4 hexidecim\$4 hex<br>base16 base\$1 adj<br>"16") with encod\$5                                    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>11:06 |
| S34 | 7  | @pd < "20020802" and<br>"370".clas. and (transmit<br>\$5 transis\$5) with (hex<br>\$3 adj decim\$4<br>hexidecim\$4 hexidecim<br>\$4 hex base16 base\$1<br>adj "16") near5 encod\$5 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>11:06 |
| S35 | 0  | "6539540".pn. and hex<br>\$8   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>11:14 |
| S36 | 2  | "6539540".pn. and byte<br>\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>11:14 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S37 | 4  | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp with<br>(decompress\$4<br>uncompress\$4 (de un)<br>adj compress\$4) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>14:34 |
| S38 | 4  | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp with<br>(decompress\$7<br>uncompress\$7 (de un)<br>adj compress\$7) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>14:35 |
| S39 | 1  | "20020052946".pn. and<br>flag\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>14:49 |
| S40 | 20 | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp same<br>(decompress\$7<br>uncompress\$7 (de un)<br>adj compress\$7) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>14:50 |
| S41 | 2  | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp with (defrost<br>\$4 de adj frost\$4)                               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>14:59 |
| S42 | 1  | "20050180387".pn. and<br>(ascii oid)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>15:17 |
| S43 | 2  | ("5651006" "5438614"<br>"6044468" "6519635"<br>"20020052946").pn.<br>and (ascii oid)                                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>15:21 |
| S44 | 21 | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp with ascii  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>15:34 |

|     |   |   |   |    |     |                     |
|-----|---|---|---|----|-----|---------------------|
| S45 | 0 | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp with ascii<br>with oid                                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>15:34 |
| S46 | 2 | "20040213160".pn.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>15:53 |
| S47 | 0 | {@ad < "20020412"<br>@pd < "20020802")<br>and transpos\$7 with<br>byte\$1 with ascii\$1 with<br>packet\$2 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:13 |
| S48 | 1 | {@ad < "20020412"<br>@pd < "20020802")<br>and transpos\$7 with<br>byte\$1 with ascii\$1                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:13 |
| S49 | 6 | {@ad < "20020412"<br>@pd < "20020802")<br>and ascii adj character<br>adj message\$2                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:14 |
| S50 | 1 | "20050180387".pn. and<br>reconstruct\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:22 |
| S51 | 1 | "20050180387".pn. and<br>bind\$4  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:27 |
| S52 | 1 | "20050180387".pn. and<br>(variab\$4 bind\$4)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:27 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S53 | 13  | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with oid  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:29 |
| S54 | 65  | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with conver\$5<br>with packet\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:31 |
| S55 | 4   | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (conver\$5<br>encod\$7) with packet\$2<br>with (hex\$3 adj decim<br>\$4 hexidecim\$4 hex<br>base16 base\$1 adj<br>"16")                            | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:38 |
| S56 | 37  | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (encod\$7)<br>with (packet\$2 pdu\$1<br>datagram\$1)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:38 |
| S57 | 941 | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (hex\$3<br>adj decim\$4 hexidecim<br>\$4 hexidecim\$4 hex<br>base16 base\$1 adj<br>"16")   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:53 |
| S58 | 92  | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (hex\$3<br>adj decim\$4 hexidecim<br>\$4 hexidecim\$4 hex<br>base16 base\$1 adj<br>"16") with (encod\$4)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:54 |
| S59 | 3   | (@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (hex\$3<br>adj decim\$4 hexidecim<br>\$4 hexidecim\$4 hex<br>base16 base\$1 adj<br>"16") with (encod\$4)<br>with (packet\$2 pdu\$1<br>datagram\$1) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:54 |



|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S60 | 9  | {@ad < "20020412"<br>@pd < "20020802")<br>and "370".clas. and ascii<br>with (hex\$3 adj decim<br>\$4 hexidecim\$4<br>hexadecim\$4 hex<br>base16 base\$1 adj<br>"16") with (encod\$4) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:55 |
| S61 | 1  | "20050180387".pn. and<br>(variabl\$4 bind\$4 ascii<br>oid reconstruc\$5)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:58 |
| S62 | 0  | {@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (encod\$7)<br>with (packet\$2 pdu\$1<br>datagram\$1) near3<br>compress\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:59 |
| S63 | 1  | {@ad < "20020412"<br>@pd < "20020802")<br>and ascii with (encod\$7)<br>with (packet\$2 pdu\$1<br>datagram\$1) with<br>compress\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>16:59 |
| S64 | 0  | {@ad < "20020412"<br>@pd < "20020802")<br>and variable adj bind\$4<br>adj set\$1 with (oid<br>(object adj (id\$1 identif<br>\$7)))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>17:02 |
| S65 | 0  | {@ad < "20020412"<br>@pd < "20020802")<br>and variable adj bind\$4<br>adj set\$1 same (oid<br>(object adj (id\$1 identif<br>\$7)))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>17:02 |
| S66 | 22 | {@ad < "20020412"<br>@pd < "20020802")<br>and variable adj bind\$4<br>same (oid (object adj (id<br>\$1 identif\$7)))   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>17:02 |
| S67 | 25 | {@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) near3<br>value\$2 near3 pair\$1  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>17:03 |

|     |     |  |   |    |     |                     |
|-----|-----|--|---|----|-----|---------------------|
| S68 | 1   | "20050180387".pn. and pair\$4  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>17:08 |
| S69 | 31  | (@ad < "20020412"<br>@pd < "20020802")<br>and variable adj binding<br>\$2 with MIB                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>17:14 |
| S70 | 1   | "20010044822".pn. and<br>object\$4   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:07 |
| S71 | 1   | "20010044822".pn. and<br>object\$4 with variabl\$4   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:08 |
| S72 | 1   | "20010044822".pn. and<br>value\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:09 |
| S73 | 2   | (@ad < "20020412"<br>@pd < "20020802")<br>and Old with MIB with<br>size\$2                               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:12 |
| S74 | 0   | (@ad < "20020412"<br>@pd < "20020802")<br>and Old with file\$2<br>near2 size\$2                          | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:13 |
| S75 | 679 | (@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:14 |

|     |    |   |   |    |     |                     |
|-----|----|---|---|----|-----|---------------------|
| S76 | 4  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 with (mib snmp)                     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:14 |
| S77 | 2  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 near2 original\$2                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:16 |
| S78 | 10 | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 near2 indicat\$5                    | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:17 |
| S79 | 60 | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 and (mib snmp)                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:20 |
| S80 | 0  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 near3 original\$2 and<br>(mib snmp) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:20 |
| S81 | 0  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 near3 file\$2 and<br>(mib snmp)     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:20 |
| S82 | 5  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) with size<br>\$2 same (mib snmp)                     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:20 |
| S83 | 0  | ((@ad < "20020412"<br>@pd < "20020802")<br>and variable adj binding<br>\$2 with original near2<br>file\$2 near2 size\$2                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:23 |

|     |     |   |   |    |     |                     |
|-----|-----|---|---|----|-----|---------------------|
| S84 | 0   | ((@ad < "20020412"<br>@pd < "20020802")<br>and variable adj binding<br>\$2 with file\$2 near2 size<br>\$2                     | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:23 |
| S85 | 5   | ((@ad < "20020412"<br>@pd < "20020802")<br>and variable adj binding<br>\$2 with size\$2                                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:23 |
| S86 | 1   | "20050180387".pn. and<br>size\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:28 |
| S87 | 2   | ((@ad < "20020412"<br>@pd < "20020802")<br>and MIB with size\$2<br>near3 original\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:28 |
| S88 | 0   | ((@ad < "20020412"<br>@pd < "20020802")<br>and snmp with size\$2<br>near3 original\$2   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:29 |
| S89 | 34  | ((@ad < "20020412"<br>@pd < "20020802")<br>and snmp and size\$2<br>near3 original\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:29 |
| S90 | 435 | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identifier\$1))) with<br>size\$2                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:33 |
| S91 | 2   | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identifier\$1))) with<br>size\$2 near3 original\$1 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:33 |

|     |    |  |   |    |     |                     |
|-----|----|--|---|----|-----|---------------------|
| S92 | 8  | {@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identifier\$1))) same<br>size\$2 near3 original\$1   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:34 |
| S93 | 27 | {@ad < "20020412"<br>@pd < "20020802")<br>and snmp and original<br>near3 size\$2   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:38 |
| S94 | 19 | {@ad < "20020412"<br>@pd < "20020802")<br>and mib and original<br>near3 size\$2  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:38 |
| S95 | 12 | {@ad < "20020412"<br>@pd < "20020802")<br>and (packet\$2 pdu\$1<br>mib\$1 datagram\$2)<br>same original near2 file<br>\$2 near2 size\$2                              | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:41 |
| S96 | 2  | {@ad < "20020412"<br>@pd < "20020802")<br>and (header\$2 packet\$2<br>pdu\$1 mib\$1 datagram<br>\$2) same original near2<br>file\$2 near2 size\$2 with<br>indicat\$5 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:43 |
| S97 | 17 | {@ad < "20020412"<br>@pd < "20020802")<br>and original near2 file\$2<br>near2 size\$2 with indicat<br>\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:45 |
| S98 | 10 | {@ad < "20020412"<br>@pd < "20020802")<br>and original near2 file\$2<br>near2 size\$2 near7<br>indicat\$5  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/23<br>18:46 |
| S99 | 0  | {@ad < "20020412"<br>@pd < "20020802")<br>and variable adj binding<br>\$2 same original near2<br>size\$2   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/25<br>18:10 |

|      |    |  |   |    |     |                     |
|------|----|--|---|----|-----|---------------------|
| S100 | 7  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (oid (object adj (id<br>\$1 identif\$7))) same<br>original near2 size\$2                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/25<br>18:11 |
| S101 | 6  | ((@ad < "20020412"<br>@pd < "20020802")<br>and (packet\$2 pdu\$1<br>datagram\$2) with<br>original near2 size\$2<br>near5 indicat\$5                      | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/25<br>18:12 |
| S102 | 0  | "6539540".pn. and udp  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/25<br>18:42 |
| S103 | 69 | ((@ad < "20020412"<br>@pd < "20020802")<br>and (packet\$2 pdu\$1<br>datagram\$2) with<br>(conver\$5 transpos\$7<br>translat\$5) with ASCII               | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/25<br>18:52 |
| S104 | 51 | ((@ad < "20020412"<br>@pd < "20020802")<br>and (packet\$2 pdu\$1<br>datagram\$2) near7<br>(conver\$5 transpos\$7<br>encod\$5 translat\$5)<br>near7 ASCII | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/01/25<br>18:53 |

1/26/2009 4:26:35 PM

C:\Documents and Settings\aoah\My Documents\EAST\Workspaces\10511188  
\10511188\_2.wsp